



efi[®]

WIDE FORMAT LED PRINTERS

Hybrid, Flatbed & Roll-to-Roll





H1625

LED WIDE FORMAT HYBRID PRINTER

Affordable, high-margin, entry-level printing

OVERVIEW

Print System

- Print heads: 4 print heads (optional white + 2)
- Variable drop grayscale: up to 4 and 8 levels
- Resolution: up to 1200 x 600 dpi
- Curing: Dynamic-curing LED UV lamps
- Includes EFI Fiery XF

Media/Handling

- Flexible and rigid substrates: up to 65 inches wide
- Media thickness: up to 2 inches thick
- Image width: up to 64 inches full-width printing
- Roll diameter: maximum of 9 inches
- Rigid and roll media weight: maximum of 100 pounds
- Vacuum belt drive system with variable control

PRODUCTIVITY

| OUTPUT MODE | UP TO SQFT (SQM) / HR | PRINTER SETTING (CMYK MODE) | VIEWING DISTANCE RECOMMENDATION (FT) |
|------------------------|-----------------------|-----------------------------|--------------------------------------|
| Express | 458 (43) | 600 x 300 | N/A |
| Distant View / Outdoor | 319 (30) | 300 x 900 | 10 + |
| Production | 247 (23) | 600 x 600 | 6-10 |
| POP Quality | 133 (12) | 600 x 600 | 3-6 |
| High Quality | 80 (7) | 600 x 600 | 1-3 |
| Ultra Quality | 35 (3) | 900 x 900 | 0-1 |

* 48" x 96" (1.2m x 2.4m) boards / full width roll-to-roll @ maximum carriage speed used to calculate output productivity.
Viewing distance is a recommendation only.



PRO 16h

LED WIDE FORMAT HYBRID PRINTER

Superior image quality and exceptional productivity

OVERVIEW

Print System

- Printheads: 6 printheads
- Color configurations: 1
 - CMYKWhWh
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

Media/Handling

- Flexible and rigid substrates: up to 65 inches wide
- Media thickness: up to 2 inches thick
- Image width: 64 inches full-bleed printing
- Rigid and roll media weight: maximum of 100 pounds
- Table: vacuum belt drive system with variable control
- Max speed: up to 976 sqft/hr

PRODUCTIVITY

| OUTPUT MODE | UP TO SQFT (SQM) / HR | PRINTER SETTING (CMYK MODE) | VIEWING DISTANCE RECOMMENDATION (FT) |
|------------------------|-----------------------|-----------------------------|--------------------------------------|
| Express | 976 (91) | 300 x 600 1 Pass | N/A |
| Distant View / Outdoor | 569 (53) | 600 x 600 2 Pass | 10 + |
| Production | 311 (29) | 600 x 600 4 Pass | 6-10 |
| POP Quality | 178 (17) | 600 x 600 8 Pass | 3-6 |
| High Quality | 119 (11) | 900 x 600 12 Pass | 1-3 |
| Ultra Quality | 60 (6) | 1200 x 600 24 Pass | 0-1 |

* 48" x 96" (1.2m x 2.4m) boards / full width roll-to-roll @ maximum carriage speed used to calculate output productivity.
Viewing distance is a recommendation only.



PRO 24f

LED WIDE FORMAT FLATBED PRINTER

Outstanding image quality meets high-speed, true flatbed printing

OVERVIEW

Print System

- Printheads: 6 printheads
- Color configurations: 1
 - CMYKWhWh
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

Media/Handling

- Table width: 114 inches
- Printable area: 100 x 52 inches
- Media thickness: up to 2 inches thick
- Media weight: maximum of 397 pounds
- Table: 4-zone, user-selectable vacuum system with registration pins
- Max speed: up to 1,157 sqft/hr

PRODUCTIVITY

| OUTPUT MODE | UP TO SQFT (SQM) / HR | PRINTER SETTING (CMYK MODE) | VIEWING DISTANCE RECOMMENDATION (FT) |
|------------------------|-----------------------|-----------------------------|--------------------------------------|
| Express | 1157 (107) | 300 x 400 1 Pass | N/A |
| Distant View / Outdoor | 613 (57) | 600 x 600 2 Pass | 10 + |
| Production | 289 (27) | 600 x 600 6 Pass | 6-10 |
| POP Quality | 212 (20) | 600 x 600 8 Pass | 3-6 |
| High Quality | 142 (13) | 900 x 600 12 Pass | 1-3 |
| Ultra Quality | 71 (7) | 1200 x 1200 24 Pass | 0-1 |

* 48" x 96" (1.2m x 2.4m) boards / full width roll-to-roll @ maximum carriage speed used to calculate output productivity.
Viewing distance is a recommendation only.



PRO 30f

LED WIDE FORMAT FLATBED PRINTER

The pro flatbed printer you always wanted

OVERVIEW

Print System

- Printheads: 12 printheads
- Color configurations: 1
 - CMYKWhWh x 2
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

Media/Handling

- Table width: 120 inches
- Printable area: 120 x 80 inches
- Media thickness: up to 4inches thick
- Media weight: maximum of 400 pounds
- Table: 6-zone, user-selectable vacuum system with registration pins
- Max speed: up to 2,130 sqft/hr

PRODUCTIVITY

| OUTPUT MODE | UP TO SQFT (SQM) / HR | PRINTER SETTING (CMYK MODE) | VIEWING DISTANCE RECOMMENDATION (FT) |
|------------------------|-----------------------|-----------------------------|--------------------------------------|
| Express | 1157 (107) | 300 x 400 1 Pass | N/A |
| Distant View / Outdoor | 613 (57) | 600 x 600 2 Pass | 10 + |
| Production | 289 (27) | 600 x 600 6 Pass | 6-10 |
| POP Quality | 212 (20) | 600 x 600 8 Pass | 3-6 |
| High Quality | 142 (13) | 900 x 600 12 Pass | 1-3 |
| Ultra Quality | 71 (7) | 1200 x 1200 24 Pass | 0-1 |

* 48" x 96" (1.2m x 2.4m) boards / full width roll-to-roll @ maximum carriage speed used to calculate output productivity.
Viewing distance is a recommendation only.



PRO 32r+

LED WIDE FORMAT ROLL-TO-ROLL PRINTER

Everything you need to be more competitive and profitable
in an economical, roll-to-roll, production-level printer

OVERVIEW

Print System

- Printheads: 8 printheads (optional white + 4)
- Color configurations: 2
 - CMYK x 2
 - CMYKWh x 2
- Resolution: up to 847 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

Media/Handling

- Media width: up to 3.2 meters (or 2 rolls up to 62.9 inches/1.6 meters)
- Roll weight: up to 441 pounds
- Max speed: up to 2,835 sqft/hr

PRODUCTIVITY

| OUTPUT MODE | UP TO SQFT (SQM) / HR | PRINTER SETTING (CMYK MODE) | VIEWING DISTANCE RECOMMENDATION (FT) |
|-----------------|-----------------------|--------------------------------|---|
| 4c-Distant View | 2,227 (207) | 390.8 x 600 2 Pass | 10+ |
| 4c-Production | 968 (90) | 635 x 600 4 Pass | 6-10 |
| 4c-POP | 667 (62) | 635 x 600 6 Pass | 4-6 |
| 4c-Quality | 506 (47) | 635 x 600 8 Pass | 2-3 |
| 4c-High Quality | 334 (31) | 635 x 600 12 Pass | 1-2 |
| White-Over | 312 (29) | 635 x 600 14 Pass | <1 |
| White-CWC | 172 (16) | 635 x 600 24 Pass | <1 |
| White-C1WC2 | 172 (16) | 635 x 600 24 Pass | <1 |

DIGITAL TECHNICAL SERVICES

from Nazdar SourceOne

Nazdar SourceOne is proud to offer digital technical support for several of the leading brand name equipment manufacturers that we sell. Once your equipment is delivered, our job isn't done. Our goal is to help get your business up, keep running and expand into a profitable future.

EXPERT INSTALLATION & ON-SITE TECHNICAL SERVICES

With a nationwide network of field support technicians, we are ready to work with you on your printer repair and preventive needs. The team can support you with qualified warranty service for EFI and Roland printers as well as remote assistance to help troubleshoot printer challenges and get you back to printing.

COLOR MANAGEMENT

When your business depends on accurate color management, Nazdar SourceOne Digital Technical Service is ready to support and train on the EFI Fiery RIP System included with EFI Wide Format Printers. Our Nazdar Consulting Services specialists are here to help you in profiling and education on a variety of RIPs including Wasatch, Onyx, Caldera, ErgoSoft as well as G7 certification.

DEDICATED PHONE SUPPORT

Nazdar SourceOne’s Digital Technical Service team supports you with over 200 years of combined dedicated expertise. Our specialists can provide true issue resolution when you need it. Available across the country, they are ready to help troubleshoot your difficult ink and printer issues and will recommend solutions that fit your needs.

CONTACT
THE
EXPERTS



CALL
855-S1-TECHS (855-718-3247)

EMAIL
DIGITALTECH@NAZDAR.COM



NAZDAR SOURCEONE CORPORATE HEADQUARTERS SHAWNEE, KANSAS

ABOUT US NAZDAR SOURCEONE

Nazdar SourceOne is the leading supplier of screen and digital printing equipment, inks and supplies. We maintain relationships with the world's foremost manufacturers, providing best-in-class technology and quality to specialty graphic printers in the United States, Mexico and Central America. With a network of 15 locations, we deliver localized inventory, superior customer service and expert technical support to the graphic, textile and industrial markets.

[SOURCEONE.NAZDAR.COM](https://sourceone.nazdar.com)