

# PRODUCT GUIDE WIDE FORMAT PRINTING EQUIPMENT

featuring  Roland® + *efi*



## FROM OUR BUSINESS TO YOURS

Nazdar SourceOne is dedicated to bringing our customers best-in-class service and quality products. We have partnered with the industry's top manufacturers that are on the forefront of technology. This allows us to confidently offer you innovative solutions that fit your business needs.

**WE ARE PROUD TO SERVE YOU.**

ECO-SOLVENT PRINTER

### SOLJET EJ-640

High output, low ink cost, photographic print quality



**Print System**

- Printheads: 2 Piezo printheads, each with 8 channels
- Color configurations: 2
  - CMYK x 2
  - CMYKLMcLkLk
- Resolution: up to 1440 dpi

**Media/Handling**

- Media width: 10.2 to 64 inches
- Roll weight: up to 88 pounds with included take-up system
- Max speed: up to 1,097.9 sqft/hr

ECO-SOLVENT PRINTER

### VersaEXPRESS RF-640 8-Channel

Fast, affordable and reliable printing



**Print System**

- Printheads: 1 Piezo printhead with 8 channels
- Color configurations: 2
  - CMYK x 2
  - CMYKLMcReGrOr
- Resolution: up to 1440 dpi

**Media/Handling**

- Media width: 10.2 to 64 inches
- Roll weight: up to 88 pounds with included take-up system
- Max speed: up to 521 sqft/hr

ECO-SOLVENT PRINTER/CUTTERS

### TrueVIS VG2 Series

Built to exceed your print/cut needs with greater color and performance



**Print System**

- Printheads: 4 FlexFire printheads, each with 2 channels
- Color configurations: 4
  - CMYK x 2
  - CMYKLMcLkLkOr
  - CMYKLMcLkLk
  - CMYKLMcLkLkWh
- Resolution: up to 1200 dpi

**Media/Handling**

- Media width VG2-640: 12.4 to 64 inches
- Media width VG2-540: 10.8 to 54 inches
- Roll weight VG2-640: up to 88 pounds with included take-up system
- Roll weight VG2-540: up to 66 pounds with included take-up system
- Max speed VG2-640: up to 167 sqft/hr
- Max speed VG2-540: up to 158 sqft/hr

## ECO-SOLVENT PRINTER/CUTTERS

### TrueVIS SG2 Series

Build your business with affordable print/cut technology



#### Print System

- Printheads: 2 FlexFire printheads, each with 2 channels
- Color configurations: 1
  - Available ink colors: CMYK
- Resolution: up to 1200 dpi

#### Media/Handling

- Media width SG2-640: 12.4 to 64 inches
- Media width SG2-540: 10.8 to 54 inches
- Media width SG2-300: 7.2 to 30 inches
- Roll weight SG2-640: up to 88 pounds
- Roll weight SG2-540: up to 66 pounds
- Roll weight SG2-300: up to 55 pounds
- Max speed SG2-640: up to 109.8 sqft/hr
- Max speed SG2-540: up to 105.4 sqft/hr
- Max speed SG2-300: up to 73.2 sqft/hr

### SOLJET Pro 4 XR-640

Roland's fastest and most productive printer/cutter



#### Print System

- Printheads: 2 Piezo printheads, each with 8 channels
- Color configurations: 4
  - CMYKcLmLk
  - CMYKcLmLkWh
  - CMYKcLmLkMt
  - CMYKcLmMtWh
- Resolution: up to 1440 dpi

#### Media/Handling

- Media width: 10.2 to 64 inches
- Roll weight: up to 88 pounds with included take-up
- Max speed: up to 528.1 sqft/hr

## LED UV PRINTER/CUTTER

### VersaUV LEC2-300

The ideal print/cut solution for stickers, cartons, packaging, signage and more



#### Print System

- Printheads: 6 Piezo printheads, each with 2 channels
- Color configurations: 3
  - CMYKWhGI
  - CMYKWhWh
  - CMYKGIGI
- Resolution: up to 1440 dpi
- Curing: Dual LED UV lamps

#### Media/Handling

- Media width: up to 30 inches wide
- Roll weight: up to 55 pounds
- Max speed: up to 119.47 sqft/hr (4-color)

## LED UV HYBRID PRINTER

### VersaUV LEJ-640

Versatility to expand your business



#### Print System

- Printheads: 6 Piezo printheads, each with 2 channels
- Color configurations: 3
  - CMYKWhGI
  - CMYKWhWh
  - CMYKGIGI
- Resolution: up to 1440 dpi
- Curing: dual LED UV lamps

#### Media/Handling

- Flexible and rigid substrates: up to 64 inches wide
- Image width: 64 inches full-bleed printing
- Rigid weight: maximum of 26 pounds
- Roll weight: maximum of 88 pounds
- Max speed: up to 133 sqft/hr

## VersaUV LEF-12i

Profitable UV custom printing on items up to 3.94" thick



### Print System

- Printheads: 4 Piezo printheads
- Color configurations: 1
  - CMYKWhGI
- Resolution: up to 1440 dpi
- Curing: LED UV lamp

### Media/Handling

- Media size: 12.2 x 13.2 inches
- Media thickness: up to 3.94 inches thick
- Media weight: maximum of 11 pounds
- Max speed: up to 8.5 sqft/hr

## VersaUV LEJ-640FT

Large-scale customization on items up to 6" thick



### Print System

- Printheads: 6 Piezo printheads, each with 2 channels
- Color configurations: 3
  - CMYKWhGI
  - CMYKWhWh
  - CMYKGIGI
- Resolution: up to 1440 dpi
- Curing: dual LED UV lamps

### Media/Handling

- Media size: up to 64 x 98 inches
- Media thickness: up to 6 inches thick
- Printable area: 63 x 96 inches
- Media weight: maximum of 220 pounds
- Table: 4-zone, user-selectable vacuum system
- Max speed: up to 133 sqft/hr

## VersaUV LEF2 Series

Fast, expansive, on-demand UV printing on one or many items



### Print System

- Printheads: 4 Piezo printheads, each with 2 channels (LEF2-300)
- Color configurations: up to 3 (LEF2-300)
  - CMYKWhGI (LEF2-200)
  - CMYKWhWh (LEF2-200)
  - CMYKWhGIGI (LEF2-300)
  - CMYKWhGIPr (LEF2-300)
- Resolution: up to 1440 dpi
- Curing: LED UV lamps (dual lamps on the LEF2-300)

### Media/Handling

- Media size LEF2-300: up to 31.5 x 14.2 inches
- Media size LEF2-200: 21.2 x 14.52 inches
- Media thickness: up to 3.94 inches thick
- Media weight LEF2-300: maximum of 18 pounds
- Media weight LEF2-200: maximum 11 pounds
- Table: vacuum system on the LEF2-300 only
- Max speed LEF2-300: up to 24.32 sqft/hr
- Max speed LEF2-200: up to 22.38 sqft/hr

## IU-1000F

Print high quality graphics at incredible speeds directly onto 4' x 8' media boards with a 4.3-inch height clearance



### Print System

- Printheads: 12 Piezo printheads, staggered three-row arrangement
- Color configurations: 2
  - CMYKWhGIPr
  - CMYKWh
- Resolution: up to 1800 dpi
- Curing: dual LED UV lamp

### Media/Handling

- Media size: up to 4 x 8 feet
- Media thickness: up to 4.3 inches thick
- Printable area: 98.4 x 51.1 inches
- Media weight: maximum of 99 pounds
- Table: 4-zone, user-selectable vacuum system
- Max speed: up to 688.9 sqft/hr



## LED UV WIDE FORMAT HYBRID PRINTER

### Pro 16h

Superior image quality and exceptional productivity



#### Print System

- Printheads: 6 printheads
- Color configurations: 1
  - CMYKWhWh
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

#### Media/Handling

- Flexible and rigid substrates: up to 65 inches wide
- Media thickness: up to 2 inches thick
- Image width: 64 inches full-bleed printing
- Rigid and roll media weight: maximum of 100 pounds
- Table: vacuum belt drive system with variable control
- Max speed: up to 976 sqft/hr

## LED UV WIDE FORMAT FLATBED PRINTER

### Pro 24f

Outstanding image quality meets high-speed, true flatbed printing



#### Print System

- Printheads: 6 printheads
- Color configurations: 1
  - CMYKWhWh
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

#### Media/Handling

- Table width: 114 inches
- Printable area: 100 x 52 inches
- Media thickness: up to 2 inches thick
- Media weight: maximum of 397 pounds
- Table: 4-zone, user-selectable vacuum system with registration pins
- Max speed: up to 1,157 sqft/hr

## LED UV WIDE FORMAT FLATBED PRINTER

### Pro 30f

The pro flatbed printer you always wanted



#### Print System

- Printheads: 12 printheads
- Color configurations: 1
  - CMYKWhWh x 2
- Resolution: up to 1200 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

#### Media/Handling

- Table width: 120 inches
- Printable area: 120 x 80 inches
- Media thickness: up to 4 inches thick
- Media weight: maximum of 400 pounds
- Table: 6-zone, user-selectable vacuum system with registration pins
- Max speed: up to 2,130 sqft/hr

## LED UV WIDE FORMAT ROLL-TO-ROLL PRINTER

### Pro 32r+

Everything you need to be more competitive and profitable in an economical, all-in-one, production-level printer



#### Print System

- Printheads: 8 printheads (optional white + 4)
- Color configurations: 2
  - CMYK x 2
  - CMYKWh x 2
- Resolution: up to 847 dpi
- Curing: dynamic-curing LED UV lamps
- Includes EFI Fiery proServer Core digital front end

#### Media/Handling

- Media width: up to 3.2 meters (or 2 rolls up to 62.9 inches/1.6 meters)
- Roll weight: up to 441 pounds
- Max speed: up to 2,835 sqft/hr

## DIGITAL PRINTERS BY FEATURE

BRAND	MODEL	WIDTH	WHITE/CLEAR	ECO-SOLVENT	LED UV	ROLL-TO-ROLL	CUTTING	HYBRID	FLATBED
Roland	EJ-640	64"		•		•			
Roland	RF-640 8-C	64"		•		•			
Roland	VG2-640	64"	No Charge Option	•		•	•		
Roland	VG2-540	54"	No Charge Option	•		•	•		
Roland	SG2-640	64"		•		•	•		
Roland	SG2-540	54"		•		•	•		
Roland	SG2-300	30"		•		•	•		
Roland	XR-640	64"	No Charge Option	•		•	•		
Roland	LEC2-300	30"	No Charge Option		•	•			
Roland	LEJ-640	64"	No Charge Option		•			•	
Roland	LEF-12i	12"	No Charge Option		•				•
Roland	LEF2-300	30"	No Charge Option		•				•
Roland	LEF2-200	20"	No Charge Option		•				•
Roland	LEJ-640FT	64"	No Charge Option		•				•
Roland	IU-1000F	98.4"	No Charge Option		•				•
EFI	Pro 16h	64"	Included		•			•	
EFI	Pro 24f	64"	Included		•				•
EFI	Pro 30f	120"	Included		•				•
EFI	Pro 32r+	3.2M	Option		•	•			

# NAZDAR SOURCEONE **DIGITAL TECHNICAL SERVICES**

Nazdar SourceOne is proud to offer digital technical support for several of the leading brand name equipment manufacturers that we sell. Once your equipment is delivered, our job isn't done. Our goal is to help get your business up, keep running and expand into a profitable future.

## **EXPERT INSTALLATION & ON-SITE TECHNICAL SERVICES**

With a nationwide network of field support technicians, we are ready to work with you on your printer repair and preventive needs. The team can support you with qualified warranty service for EFI and Roland printers as well as remote assistance to help troubleshoot printer challenges and get you back to printing.

## **COLOR MANAGEMENT**

When your business depends on accurate color management, Nazdar SourceOne Digital Technical Service is ready to support you in a variety of RIPs, including Wasatch, Onyx, Caldera, ErgoSoft, EFI Fiery and Roland VersaWorks. They are here to help you in profiling and education as well as G7 certification through Nazdar Consulting Services.

## **DEDICATED PHONE SUPPORT**

Nazdar SourceOne's Digital Technical Service team supports you with over 200 years of combined dedicated expertise. Our specialists can provide true issue resolution when you need it. Available across the country, they are ready to help troubleshoot your difficult ink and printer issues and will recommend solutions that fit your needs.

## **INK CONVERSION**

When changing to an alternative ink, you want peace-of-mind that the ink will work well of course, but also that your devices are printing optimally. Our DTS Team is available to convert over your ink with a thorough checklist including:

- Printer maintenance
- Inspection
- Ink changeover
- New profiles
- Free CATZper software
- Troubleshooting and more

## **CONTACT THE EXPERTS**

CALL

**855-S1-TECHS (855-718-3247)**

EMAIL

**DIGITALTECH@NAZDAR.COM**





**NAZDAR SOURCEONE CORPORATE HEADQUARTERS  
SHAWNEE, KANSAS**

## ABOUT **NAZDAR SOURCEONE**

Nazdar SourceOne is the leading supplier of screen and digital printing equipment, inks and supplies. We maintain relationships with the world's foremost manufacturers, providing best-in-class technology and quality to specialty graphic printers in the United States, Mexico and Central America. With a network of 15 locations, we deliver localized inventory, superior customer service and expert technical support to the graphic, textile and industrial markets.



**VISIT US ONLINE**  
[SOURCEONE.NAZDAR.COM](http://SOURCEONE.NAZDAR.COM)

**CALL US**  
888-578-5713

© 2020 Nazdar. All Rights Reserved.  
Prices and product specifications are subject to change without notice. Product specifications are the property of the manufacturer and are provided for comparison purposes. Nazdar SourceOne reserves the right to correct errors and update product information or pricing at any time. Please confirm current pricing and specifications at the time you place your order.